



fig. 1a

fig. 1b



DOWNLIGHTS

- Range of industry standard basic downlighters for 12V and 230V installations
- The Basic range now includes a range of steel bodied **bayonet lock** downlights (Fig. 1a, b), available in white and matt chrome for both 230V and 12V sources.
- Wide range of applications
- Body and base in die-cast aluminium and steel
- Galvanised steel lamp fastening system - 316 stainless steel available on request
- Remote transformer required on 12V versions only
- Can be installed on normally flammable surfaces
- IP 20

ALUMINIUM STARLIGHTS

- Recessed low voltage starlight
- Body in die-cast aluminium
- Remote transformer required
- Can be installed on normally flammable surfaces
- Class 3
- IP 20

LOW GLARE STARLIGHTS

- A range of recessed low glare starlights
- Pressed steel body
- Uses 20W bipin lamps
- Remote transformer required
- Can be installed on normally flammable surfaces
- Class 3
- IP 20



10
Gold1800
2230
224911
Chrome1800
2230
224912
Gun
Metal2230
224918
Matt
Chrome1800
2081
2230
224930
Black2230
224931
White1800
2081
2230
2249

code lamp details

Basic round downlight

2230 50W 12V Gu5.3

Remote transformer required





code lamp details

Basic round downlight with tilting action

2249 50W 12V Gu5.3

Remote transformer required




code lamp details

Basic downlight with tilting and swivel action

1800 50W 12V Gu5.3

Remote transformer required




code lamp details

Basic downlight with tilting and swivel action

2081 50W 12V Gu5.3

Remote transformer required





10

Gold
2232
2259

18

Matt
Chrome2232
2259
2261
2262
2263
2264

30

Black

2232
2259

31

White




2232
2259
2261
2262
2263
2264

code lamp details

Basic square downlight

2232 50W 12V Gu5.3

Remote transformer required





code lamp details

Basic square downlight with tilting action

2259 50W 12V Gu5.3

Remote transformer required





code lamp details

Basic square fixed downlight with bayonet lock system

2263 50W 12V Gu5.3

Remote transformer required



Basic square fixed downlight with bayonet lock system


2264 50W 230V Gu10

code lamp details

Basic square tilting downlight with bayonet lock system

2261 50W 12V Gu5.3

Remote transformer required



Basic square tilting downlight with bayonet lock system

2262 50W 230V Gu10

			
10 Gold	11 Chrome	18 Matt Chrome	31 White
5030 5049	2265 2266 5030 5049	2265 2266 5030 5049	2265 2266 5030 5049






code lamp details

Basic round fixed downlight with bayonet lock system

2265 50W 12V Gu5.3

Remote transformer required





code lamp details

Basic round tilt downlight with bayonet lock system



2266 50W 12V Gu5.3

Remote transformer required




code lamp details

Basic round 230V downlight

5030 50W 230V Gu10

code lamp details

Basic round 230V downlight with tilting action

5049 50W 230V Gu10

Basic starlights

INTERIOR DOWNLIGHTS

design by Spazio

SPAZIO



10
Gold

2236
1360
2074



11
Chrome

2234
1360
2074



18
Matt
Chrome

2234
2236
1360
2074



31
White

2234
2236
1360
2074



51
European
Grey

2234





code lamp details

Square starlight in aluminium

2234 20W 12V G4

Remote transformer required




code lamp details

Round starlight in aluminium

2236 20W 12V G4

Remote transformer required




code lamp details

Recessed starlight in steel

1360 20W 12V G4

Remote transformer required




code lamp details

Recessed starlight in steel with
aluminium reflector

2074 20W 12V G4

Remote transformer required




Accessories




code	details	weight
STR 50	dimmable safety transformer	
7301	50VA	750grms
See transformers, gears and accessories		



code	details	weight
Precise	dimmable electronic transformer	
7373	20-50VA	70.4grms
See transformers, gears and accessories		




code	details
Box cut out	used together with the concrete box for insertion into concrete
Boxcut/60	Diam. 60 cut out
Boxcut/75	Diam. 75 cut out
Boxcut/80	Diam. 80 cut out
Boxcut/90	Diam. 90 cut out
Boxcut/95	Diam. 95 cut out



code	details	weight
TLC	dimmable safety transformer	
7303	50VA	1080grms
See transformers, gears and accessories		



code	details
Conversion kit	for converting to Gu10
86901	Universal connection



code	details
Concrete Box	used together with the BOX cut out for insertion into concrete
Box 1	(L)250 x (W)146 x (H)122