



Food Lovers Market Tokai

- Modular assembly system that can be customised to create lighting rows in conjunction with your specific needs
- The system combines the uniqueness of the Alubat system with our new Aluwing reflector

ALUWING TRUNKING BODY

- Made in natural anodised aluminium
- To be used with both the Aluwing and Alubat trunking
- Available in various lengths:
 - 2m
 - 3m
 - 4m
 - 5m

ALUWING WING

- The Aluwing trunking is made in anodised aluminium and available for the following wattages:
 - 1 x 28, 35W, 54W, 80W T5
 - 2 x 28, 35W, 54W, 80W T5

ALUBAT BATTEN

- The Alubat trunking is made in anodised aluminium and available for the following wattages:
 - 1 x 28, 39W, 54W, 80W T5
 - 2 x 28, 39W, 54W, 80W T5

COMPONENTS/ACCESSORIES

- High Purity Reflector:
 - To be used with the Aluwing trunking
- Micro prism diffuser
 - Polycarbonate prism diffuser to be used with the Aluwing trunking
- Trunking cover
 - Natural anodised cover
- Linear joint

COMPLETE SETS

- Both Aluwing and Alubat are also available as pre-made systems
- Aluwing
 - Comes completely wired and includes integral electronic ballast
 - Excludes high purity reflector and end caps
- Alubat
 - Comes completely wired and includes integral electronic ballast
 - Also available for seamless T5 lamps and dimmable options

- Can be installed on flammable surfaces
- Class 1
- IP20




05
Natural
Anodised



code lamp details

Aluwing trunking - Available in various lengths


- 3986.1.2000** 2m
- 3986.1.3000** 3m
- 3986.1.4000** 4m
- 3986.1.5000** 5m



code lamp details

Aluwing wing - single light (T5)

- 3986.2.128** 1 x 28W 230V G5
- 3986.2.135** 1 x 35W 230V G5
- 3986.2.154** 1 x 54W 230V G5
- 3986.2.180** 1 x 80W 230V G5



Aluwing wing - double light (T5)

- 3986.2.228** 2 x 28W 230V G5
- 3986.2.235** 2 x 35W 230V G5
- 3986.2.254** 2 x 54W 230V G5
- 3986.2.280** 2 x 80W 230V G5




Includes integral electronic ballast



code lamp details

Aluwing batten - single light (T5)

- 3984.1.05** 1 x 24W 230V G5
- 3984.3.05** 1 x 39W 230V G5
- 3984.5.05** 1 x 54W 230V G5
- 3984.7.05** 1 x 80W 230V G5



Dimmable batten single light (T5)

- 3984.1.05D** 1 x 24W 230V G5
- 3984.3.05D** 1 x 39W 230V G5
- 3984.5.05D** 1 x 54W 230V G5
- 3984.7.05D** 1 x 80W 230V G5




Includes integral electronic ballast



code lamp details

Aluwing batten - double light (T5)

- 3984.2.05** 2 x 24W 230V G5
- 3984.4.05** 2 x 39W 230V G5
- 3984.6.05** 2 x 54W 230V G5
- 3984.8.05** 2 x 80W 230V G5



Dimmable batten double light (T5)

- 3984.2.05D** 2 x 24W 230V G5
- 3984.4.05D** 2 x 39W 230V G5
- 3984.6.05D** 2 x 54W 230V G5
- 3984.8.05D** 2 x 80W 230V G5



Includes integral electronic ballast





05
Natural
Anodised


Additional Components/Accessories



code details
Aluwing - wing diffuser
3986.4.1190 1190mm
3986.4.1480 1490mm



code details
Aluwing - trunking cover in various lengths:
3986.5.500 0.5m
3986.5.1000 1m
3986.5.1500 1.5m
3986.5.2000 2m
3986.5.2500 2.5m
3986.5.3000 3m




code details
End caps
3986/TE Aluwing square end cap
3986/TE2 Aluwing wing end cap
3986/TE3 Aluwing wing half end cap



code details
Linear joint (pair)
CI/UNI.CD



code lamp details
Aluwing - wing reflector
3986.3.1160 1190mm
3986.3.1450 1490mm



code lamp details
Suspension kit
ZU/1000





code lamp details

Aluwing - Complete Aluwing sets

Exclude wing reflector, end caps and diffuser

- 3986.135.05** 1 x 35W 230V G5
- 3986.154.05** 1 x 54W 230V G5
- 3986.180.05** 1 x 80W 230V G5
- 3986.254.05** 2 x 54W 230V G5
- 3986.280.05** 2 x 80W 230V G5



code lamp details


Alubat - Complete Alubat sets single light

- 3984.1.05** 1 x 24W 230V G5
- 3984.3.05** 1 x 39W 230V G5
- 3984.5.05** 1 x 54W 230V G5
- 3984.7.05** 1 x 80W 230V G5

Dimmable single T5 lamp

- 3984.1.05D** 1 x 24W 230V G5
- 3984.3.05D** 1 x 39W 230V G5
- 3984.5.05D** 1 x 54W 230V G5
- 3984.7.05D** 1 x 80W 230V G5

Includes integral electronic ballast



code lamp details


Alubat - Complete Alubat sets double light

- 3984.2.05** 2 x 24W 230V G5
- 3984.4.05** 2 x 39W 230V G5
- 3984.6.05** 2 x 54W 230V G5

Dimmable option

- 3984.2.05D** 2 x 24W 230V G5
- 3984.4.05D** 2 x 39W 230V G5
- 3984.6.05D** 2 x 54W 230V G5
- 3984.8.05D** 2 x 80W 230V G5

Includes integral electronic ballast



code lamp details


Alubat - Complete seamless Alubat sets

- 3985.1.05** 1 x 24W 230V G5
- 3985.3.05** 1 x 39W 230V G5
- 3985.5.05** 1 x 54W 230V G5

Dimmable option

- 3985.1.05D** 1 x 24W 230V G5
- 3985.3.05D** 1 x 39W 230V G5
- 3985.5.05D** 1 x 54W 230V G5

Includes integral electronic ballast



Add +/-5mm each side for end caps if used.

